All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).



Page 1 of 5

Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 Website: https://www.aicte-india.org

APPROVAL PROCESS 2018-19

Application Deficiency Report

<u>DEFICIENCY REPORT AS PER CURRENT INTAKE(CI) - Applicable for Existing Institutes only</u>

Regional Office		South-Central	
Application Id	<mark>1-3517171260</mark>	Permanent Id	<mark>1-495566375</mark>
Name of the Institute	JNTUH COLLEGE OF ENGINEERING HYDERABAD	Address	KUKATPALLY
City/Village	HYDERABAD	District	RANGAREDDI
State	Telangana	Pin	500085

Overall Deficiency of Institute: No

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	SAIBABA EADALA	Regular	B Tech, M.E, PH.D. (JNTU)	Yes

Other Details				
Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency	
1	List of faculty and data uploaded on the Institute web portal	Yes	No	
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No	
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No	
4	Fees to be charged, Reservation policy, Admission policy and	Yes	No	
	Document retention policy are uploaded in Institute's Website?			
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No	

Anti-Ra	Anti-Ragging Related Deficiency Status				
Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency		
1	Constitution of Anti-Ragging Committee	Yes	No		
2	Constitution of Anti-Ragging Squad	Yes	No		
3	Undertaking obtained from all Students	Yes	No		
4	Appointment of Counselors	Yes	No		
5	Undertaking obtained from parents of all the students	Yes	No		
6	Undertaking obtained from students staying in Hostel	Yes	No		
7	Undertaking obtained from parents of students staying in Hostel	Yes	No		

Ombudsman Related Deficiency Status				
Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency	
1	Grievance Committee	Yes	No	

Total A	Total Approved Intake (For Total duration of the Courses)			
(i)	Approved Intake UG	1800		
(ii)	Approved Intake PG	2580		
(iii)	Approved Intake DIPLOMA	0		
	Total Approved Intake (UG+PG+DIPLOMA)	4380		

<u>Faculty</u>				
Institute Level Faculty				
Туре	Actual No.	Required No. as per CI	Deficiency	
Total Faculty(UG+PG+Diploma)	212	179	No	

Administrative Area			
Туре	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	331	30	No
Board Room	240	20	No
Office All Inclusive	619345	150	No
Department Offices/Cabin for Head of Dept	2180	200	No
Central Store	50	30	No
Maintenance	100	10	No
Security	100	10	No
Housekeeping	100	10	No
Pantry for Staff/Faculty	100	10	No
Exam Control Office	320	30	No
Training Placement Office	200	30	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae18164423

AICTE

We will think to

Application Status: Submitted

Application Sub-Status: Payment Not Applicable

Report Generated on :-14/02/2018

Amenities Area				
Туре	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency	
Boys Common Room	100	75	No	
Girls Common Room	100	75	No	
Cafeteria	200	150	No	
Stationery Store	20	10	No	
First aid cum Sick Room	40	10	No	

Computational Facilities				
Туре	Available	Required	Deficiency	
Internet Bandwidth	90	64	No	
Printers	200	34	No	
A1 size Color Printers	15	0	No	
Legal Application S/W	60	20	No	
Legal System S/W	30	3	No	
PCs to Student ratio	1500	668	No	

Library Facilities				
Туре	Available	Required	Deficiency	
Volumes	83304	59650	No	
Titles	25000	11150	No	
National Journals	200	193	No	
Library Management Software	1	1	No	
Reading Room Capacity	200	150	No	
MultiMediaPC	100	10	No	

Instructional Area-Common Facilities				
Туре	Available	Required	Deficiency	
Computer Center	750	300	No	
Library & Reading Room	5000	850	No	
Language Laboratory	250	66	No	

Land Area Details					
Туре	Available	Required	Deficiency		
Total Area of Land	95	0	No		
Maximum number of Pieces	1	3	No		
Minimum per Piece of Area	95	0	No		

ENGINEERING AND TECHNOLOGY / Existing Programme				
Туре	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	215180	1485	No
Additional Workshop/Labs	UG/PG	1000	400	No
Class Rooms - PG	POST GRADUATE	8200	594	No
Laboratories-All	UG/PG	9531	4872	No
Workshops - Basic	UG/PG	2313	200	No
Drawing Halls	UG/PG	184	132	No
Seminar Hall	UG/PG	4114	528	No

Other Facilities				
Sr. No.	Туре	Availability	Deficiency	
1	All Weather Approach (Motorised Road)	Yes	No	
2	Barrier free Environment	Yes	No	
3	Electric Supply	Yes	No	
4	General Insurance	Yes	No	
5	Institution Web Site	Yes	No	
6	Standalone Language Laboratory	Yes	No	
7	Medical & Counseling	Yes	No	
8	Notice Boards	Yes	No	
9	Potable Water Supply	Yes	No	

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae18164423 Page **2** of **5**



Application Status: Submitted

Application Sub-Status: Payment Not Applicable

Report Generated on :-14/02/2018

10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation of Unnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities				
Туре	Available	Required	Deficiency	
Internet Bandwidth-Applied Intake	90	64	No	
Printers-Applied Intake	200	25	No	
A1 size Color Printers-Applied Intake	15	0	No	
Legal Application S/W-Applied Intake	60	20	No	
Legal System S/W-Applied Intake	30	3	No	
PCs to Student ratio-Applied Intake	1500	490	No	

<u>Library Facilities</u>				
Туре	Available	Required	Deficiency	
Volumes	83304	59650	No	
Titles	25000	11550	No	
National Journals	200	193	No	
Library Management Software	1	1	No	
Reading Room Capacity	200	150	No	
MultiMediaPC	100	10	No	

ENGINEERING AND TECHNOLOGY / Existing Programme				
Туре	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	215180	1584	No
Additional Workshop/Labs	UG/PG	1000	400	No
Class Rooms - PG	POST GRADUATE	8200	858	No
Laboratories-All	UG/PG	9531	5004	No
Workshops - Basic	UG/PG	313	200	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae18164423 Page **3** of **5**

AICTE
The safe these

Application Status: Submitted

Application Sub-Status: Payment Not Applicable

Report Generated on :-14/02/2018

Drawing Halls	UG/PG	184	132	No
Seminar Hall	UG/PG	4114	990	No

<u>Note</u>

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae18164423 Page **4** of **5**

^{*} Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

[^] Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

^{**} Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

^{***} Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

^{***}Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Application Status: Submitted

Report Generated on :-14/02/2018



DECLARATION BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

Application Sub-Status: Payment Not Applicable

- a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.
- b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.
- f) I am also aware that Institute is eligible for grant of
 Extension of Approval to the Existing Institutions,
 Extended EoA(if Applicable as per APH 2018-19),
 Addition of Integrated/ Dual Degree Course,
 Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s),
 only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name:

Seal/Stamp of the Institute/University Department

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae18164423 Page **5** of **5**